
The relative roles of direct atmospheric radiative forcing vs. indirect sea surface temperature forcing in the atmospheric response to evolving anthropogenic aerosol emissions from 1930 to 2030

Xueying Zhao, Clara Deser, Geeta Persad, Adam Phillips

2024 CESM CVCWG Meeting
March 6th




Industrial AER + BMB AOD




- ➤ What are the dominant radiative forcing patterns of the time-evolving anthropogenic emissions, including industrial aerosol (AER) and biomass burning (BMB)?
- ➤ How does atmosphere respond, and what are the relative roles of direct atmospheric radiative forcing vs. indirect SST forcing?

Experiment Designs




(Deser et al. 2020)

JJA




JJA

Low-latitude AOD mode.




JJA


Low-latitude AOD mode.




JJA

Low-latitude AOD mode.









What are the dominant radiative forcing patterns of the time-evolving anthropogenic emissions?
 1. Low-latitude mode;
 2. NH mid-latitude mode.

(same for industrial-sector and biomass burning aerosols individually).






➤ How does atmosphere respond to these dominant radiative forcing patterns? And what are the relative roles of direct atmosphere radiative forcing vs. indirect SST forcing?


JJA


Low-latitude AOD mode.





Atmospheric radiative forcing patterns


Indirect SST forcing patterns
























- ➤ How does atmosphere respond to these dominant radiative forcing patterns? And what are the relative roles of direct atmosphere radiative forcing vs. indirect SST forcing?
- Indirect SST forcing dominates the pattern of the full response.
- Low-latitude radiative forcing induces strong local precipitation response.


JJA


NH mid-latitude AOD mode.





Atmospheric radiative forcing patterns


Indirect SST forcing patterns

















Summary

- What are the dominant radiative forcing patterns of the time-evolving anthropogenic emissions?
 - Low-latitude mode ← industrial AER and BMB.
 - NH mid-latitude mode ← industrial AER.
- How does atmosphere respond, and what are the relative roles of direct atmospheric radiative forcing vs. indirect SST forcing?
 - Indirect SST forcing dominates the pattern of the full response.
 - <u>Direct atmospheric radiative forcing also contributes</u>, particularly over low-latitude land regions, and even counteracts in some (remote) regions.
 - Further investigation of the mechanism is needed.